



Data Capture Systems

Cable: Standard CAT5
 PC: Networked—3GHz, 512Mb RAM
 Operating System: Min Windows 2000
 Number of devices: ≤ 100
 Maximum cable length: Network limited




Batch in Progress Warning: Batch Mean is below Nominal

Checkweigher Setpoints		Batch Data			
Machine ID	Simulator	Batch Start Time	1:42:15 PM 20-Apr-2004		
Product Number	10	Batch End Time			
Product Code	Salad	Mean Weight	99.9 g		
Tare Weight	2.7 g	Standard Deviation	1.95		
TU2 Setpoint	91.0 g	count	weight (kg)	percent	
TU1 Setpoint	95.5 g	TU2	15	1.3	
Nominal Weight	100.0 g	TU1	125	11.7	
High Setpoint	110.0 g	TU1-2 Accepts	25	2.4	2.47
Last Calibration	20-Apr-2004 10:01:08 AM	Pass -	570	56.0	
		Pass +	455	46.6	
		High	0	0.0	
		Metal	0	0.0	
User Area		Summary			
User Trip % Nominal	2.0% Alarm 2	Total Accepts	1051	105.0	99.3%
		Total Rejects	140	13.8	11.3%
		Product Giveaway	8.0	0.8	
		Total	118.1		

Select Archive Data

Checkweigher Setpoints		Batch Data			
Machine ID	Simulator	Batch Start Time	1:25:35 PM 20-Apr-2004		
Product Number	10	Batch End Time	1:42:15 PM 20-Apr-2004		
Product Code	Salad	Mean Weight	100.9 g		
Tare Weight	2.7 g	Standard Deviation	1.34		
TU2 Setpoint	91.0 g	count	Weight (kg)	percent	
TU1 Setpoint	95.5 g	TU2	3	0.3	
Nominal Weight	100.0 g	TU1	129	12.1	
High Setpoint	110.0 g	TU1-2 Accepts	44	4.1	2.46%
Last Calibration	20-Apr-2004 10:01:08 AM	Pass -	659	64.8	
		Pass +	1095	111.8	
		High	5	0.6	
		Metal	0	0.0	
User Area		Summary			
User Trip % Nominal	2.0% Alarm 2	Total Accepts	1792	180.8	93.3%
		Total Rejects	137	13.0	6.7%
		Product Giveaway	1.6	0.8%	
		Total	1929	193.7	

Configurable Screens



Loma Systems, Summit Ave, Southwood, Farnborough, Hampshire, GU14 0NY,

Tel: +44 (0)1252 893300

Fax: +44 (0)1252 513322

Email: sales@loma.co.uk

Designed to Survive